

Publicatielijst **Systeemgericht Ecotoxicologisch Onderzoek**

Wetenschappelijke publicaties uit het SSEO-programma	2
Publicaties (alle zijn “submitted”) voor special issue van Science of the Total Environment (STOTEN)	10
Publicaties vanuit programmacommissie, locatiecoördinatoren en medewerkers integratieproject.....	11
Rapporten integratieproject.....	12
Rapporten ter afsluiting van het programma.....	12

Wetenschappelijke publicaties uit het SSEO-programma

Barranguet, C., van den Ende, F.P., Rutgers, M., Breure, A.M., Greijdanus, M., Sinke, J.J. and Admiraal, W. 2003. Copper induced modifications of the trophic relations in riverine algal-bacterial biofilms. *Environ. Toxicol. Chem.* 22(6): 1340-1349.

Boivin, M.E.Y., Breure, A.M., Posthuma, L. and Rutgers, M. (2002). Determination of field effects of contaminants – Significance of pollution-induced community tolerance. *Human and environmental risk assessment* 8: 1035-1055.

Boivin M.E.Y., Greve G.D., García-Meza, J.V., Massieux, B., Sprenger, W.W., Kraak, M.H.S., Breure, A.M., Rutgers, M. and Admiraal, W. (2007). Algal-bacterial interactions in metal contaminated floodplain sediments. *Environmental Pollution* 145: 884-894.

Boivin, M.E.Y., Greve, G.D., Kools, S.A.E., van der Wurff, A.W.G., Leeftang, P., Smit, E., Breure, A.M., Rutgers M. and van Straalen, N.M. (2006). Discriminating between effects of heavy metals and natural variables in terrestrial microbial communities. *Applied Soil Ecology* 34: 103-113.

Boivin M.E.Y., Massieux, B., Breure, A.M., Greve, G.D., Rutgers, M. and Admiraal, W. (2006). Functional recovery of biofilm bacterial communities after copper exposure. *Environmental pollution* 140(2): 239-246.

Boivin M.E.Y., Massieux, B., Breure, A.M., van den Ende, F.P., Greve, G.D., Rutgers, M. and Admiraal, W. (2005). Effects of copper and temperature on aquatic bacterial communities. *Aqua. Tox.* 71: 345-356.

Haaijer, S.C.M., van der Welle, M.E.W., Schmid, M.C., Lamers, L.P.M., Jetten, M.S.M. and op den Camp, H.J.M. (2006). Evidence for the involvement of betaprotobacterial Thiobacilli in the nitrate-dependent oxidation of iron sulfide minerals. *FEMS Microbiology Ecology* 58: 439-448.

de Haas, E.M., van Haaren, R., Koelmans, A.A., Kraak, M.H.S. and Admiraal, W. 2005. Analyzing the causes for the persistence of chironomids in floodplain lake sediments. *Arch. Hydrobiol.* 162(2): 211-228.

de Haas, E.M., Kraak, M.H.S., Koelmans, A.A. and Admiraal, W. 2005. The impact of sediment reworking by opportunistic chironomids on specialised mayflies. *Freshwater Biol* 50: 770-780.

de Haas, E.M., Leon Paumen, M., Koelmans, A.A. and Kraak, M.H.S. 2004. Combined effects of copper and food on the midge *Chironomus riparius* in whole sediment bioassays. *Environ. Pollut.* 127: 99-107.

de Haas, E.M., Reuvers, B., Moermond, C.T.A., Koelmans, A.A. and Kraak, M.H.S., 2002. Responses of benthic invertebrates to combined toxicant and food input in floodplain lake sediments. *Environ. Toxicol. Chem.* 21(10): 2165-2171.

de Haas, E.M., Roessink, I., Verbree, B., Koelmans, A.A., Kraak, M.H.S. and Admiraal, W. 2005. The influence of sediment quality on the responses of benthic invertebrates after

treatment with the fungicide Triphenyltin acetate. *Environmental Science and Technology* 24(5): 1133-1139.

de Haas, E.M., Wagner, C., Koelmans, A.A., Kraak, M.H.S. and Admiraal W. 2006. Habitat selection by chironomid larvae: fast growth requires fast food. *J Animal Ecol* 75(1): 148-155.

Hamers, T., van den Berg, J.H.J., van Gestel, C.A.M., van Schooten, F.J. and Murk, A.J. 2006. Risk assessment of metals and organic pollutants for herbivorous and carnivorous small mammal food chains in a polluted floodplain (Biesbosch, The Netherlands). *Environmental Pollution* 144: 581-595.

Hamers, T., van den Brink, P.J., Mos, L., van der Linden, S.C., Legler, J., Koeman, J.H. and Murk, A.J. 2003. Estrogenic and esterase inhibiting potency in rainwater in relation to pesticide concentrations, sampling season and location. *Environmental Pollution* 123: 47-65.

Hamers, T., Kalis, E.J.J., van den Berg, J.H.J., Maas, L.M., van Schooten F.J. and Murk, A.J., 2004. Applicability of the black slug *Arion ater* for monitoring exposure to polycyclic aromatic hydrocarbons and their subsequent bioactivation into DNA binding metabolites. *Mutation Research* 552: 219-233.

Hamers, T., Molin, K.R.J., Koeman, J.H. and Murk, A.J. 2000. A small-volume bioassay for quantification of the esterase inhibiting potency of mixtures of organophosphate and carbamate insecticides in rainwater: development and optimization. *Toxicological Sciences* 58: 60-67.

Hamers, T., van Schaardenburg, M.D., Felzel, E.C., Murk, A.J. and Koeman, J.H., 2000. The application of reporter gene assays for the determination of the toxic potency of diffuse air pollution. *The Science of the Total Environment* 262: 159-174.

Hamers T., Smit, M.G.D., Murk, A.J. and Koeman, J.H., 2001. Biological and chemical analysis of the toxic potency of pesticides in rainwater. *Chemosphere* 45: 609-624.

Hamers, T., Smit, L.A.M., Bosveld, A.T.C., van den Berg, J.H.J., Koeman, J.H., van Schooten, F.J. and Murk, A.J., 2002. Lack of a distinct gradient in biomarker responses in small mammals collected at different distances from a highway. *Archives of Environmental Contamination and Toxicology* 43: 345-355.

Hauck, M., Veltman, K., Moermond, C.T.A., Koelmans, A.A., van den Heuvel-Greve, M.J., Vethaak, A.D. and Hendriks, A.J. 2007. Including sorption to black carbon in modeling bioaccumulation of polycyclic aromatic hydrocarbons: Uncertainty analysis and comparison to field data. *Environmental Science and Technology*, 41 (8): 2738-2744.

Hauck M., Veltman K., Moermond C.T.A., Koelmans A.A., Huijbregts M.A.J., Hendriks A.J. and Vethaak D. (2006). Estimations of bioaccumulation of PAHS in marine, fresh water and terrestrial invertebrates including sorption to black carbon. **In prep.**

Heemsbergen D.A., Loreau, M., van Hal, J.R., Faber, J.H. & Verhoef, H.A. (2004). Biodiversity effects on soil processes explained by interspecific functional dissimilarity. *Science* 306: 1019-1020.

Heemsbergen, D.A., Berg, M.P., van Hal, J.R., Faber, J.H. and Verhoef H.A. Complementarity in ecological functioning of soil detritivores is related to ecological distance between species. **In prep.**

Heemsbergen, D.A., van Hal, J.R., Faber, J.H., Berg, M.P. and Verhoef H.A. Soil detritivore functioning in heterogeneously contaminated soils. **In prep.**

Heemsbergen, D.A., van Hal, J.R., Faber, J.H., Berg, M.P. and van Straalen, N.M. Soil fauna community in a River Floodplain; the relevance of contamination and seasonal dynamics. **In prep.**

Heemsbergen, D.A., van Hal, J.R., Faber, J.H., Berg, M.P. and Verhoef H.A. Effect of Vertical Heterogeneity in soil characteristics on soil functioning; a Field Experiment. **In prep.**

Hobbelen, P.H.F., van den Brink, P.J., Hobbelen, J.F. and van Gestel, C.A.M., 2006. Effects of heavy metals on the structure and functioning of detritivores in a contaminated floodplain area. *Soil Biology & Biochemistry* 38: 1596-1607.

Hobbelen, P.H.F. and van Gestel, C.A.M., 2007. Using dynamic energy budget modelling to predict the influence of temperature and food density on the effect of Cu on earthworm mediated litter consumption. *Ecological Modelling* 202: 373-384.

Hobbelen, P.H.F., Koolhaas, J.C. and van Gestel, C.A.M., 2004. Risk assessment of heavy metal pollution for detritivores in floodplain soils in the Biesbosch, the Netherlands, taking bioavailability into account. *Environmental Pollution* 129: 409-419.

Hobbelen, P.H.F., Koolhaas, J.C. and van Gestel, C.A.M., 2006. Bioaccumulation of heavy metals in the earthworms *Lumbricus rubellus* and *Aporrectodea caliginosa* in relation to total and available metal concentrations. *Environmental Pollution* 144: 639-646.

Hobbelen, P.H.F., Koolhaas, J.C. and van Gestel, C.A.M., 2006. Effects of heavy metals on litter consumption by the earthworm *Lumbricus rubellus* in field soils. *Pedobiologia* 50: 51-60.

Holterman-M; van-der-Wurff-A; van-den-Elsen-S; van-Megen-H; Bongers-T; Holovachov-O; Bakker-J; Helder-J, 2006. Phylum-wide analysis of SSU rDNA reveals deep phylogenetic relationships among nematodes and accelerated evolution toward crown clades. *Molecular biology and evolution*: 23 (9) : 1792-1800.

Klok, C. Effects of population density on growth development and reproduction in the earthworm *Lumbricus rubellus* (Hoffm.) and consequences for the intrinsic rate of population increase. *Soil Biology and Biochemistry* **Accepted**.

Klok, C., Faber, J., Heijmans, G., Bodt, J. and van der Hout, A. The influence of clay content and acidity of soils on development in the earthworm *Lumbricus rubellus* and its population level consequences. *Biology and fertility of soils*. **In press**.

Klok, C., Goedhart, P. and Vandecasteele, B. 2007. The combined effects of pollutants and inundation stress on earthworm populations in river floodplains. *Environmental Pollution* 147: 26-31.

Klok, C., van der Hout, A. and Bodt, J. 2006. Population growth and development of *Lumbricus rubellus* in a polluted field soil, consequences for the Godwit (*Limosa limosa*). *Environmental Toxicology and Chemistry* 25: 213-219.

Klok, C., Zorn, M.I., Koolhaas, J.E., Eijsackers, H.J.P. and van Gestel, C.A.M. 2006. Does reproductive plasticity in *Lumbricus rubellus* improve the recovery of populations in frequently inundated river floodplains? *Soil Biology & Biochemistry* 38: 611–618.

Kools, S.A.E., Boivin, M.E.Y., van der Wurff A.W.G., Berg, M.P., van Gestel, C.A.M. and van Straalen, N.M. (2005). Describing soil communities and ecosystem processes in heavy metal polluted grasslands using Terrestrial Model Ecosystems (TME). **In prep.**

Kools, S.A.E., Boivin, M.E.Y., van der Wurff, A.W.G., Berg, M.P., van Gestel, C.A.M. and van Straalen, N.M. (2005). Soil communities and ecosystem processes in a stress-on-stress experiment. **In prep.**

Kools, S.A.E., Ferwerda, E.B., van Gestel, C.A.M., van Straalen, N.M. (2005). Microbial responses to zinc in soil microcosms with and without a natural assemblage of enchytraeids. *Environmental Toxicology and Chemistry*. 24(9): 2178-2184.

Kools, S.A.E., van Roover, M., van Gestel, C.A.M., van Straalen, N.M. (2005). Glyphosate degradation as a soil health indicator for heavy metal polluted soils. *Soil Biology and Biochemistry* 37(7): 1303-1307.

Koster, M., de Groot, A., Vijver, M.G., Peijnenburg, W.J.G.M. (2006). Copper in the terrestrial environment: verification of a laboratory-derived terrestrial biotic ligand model to predict earthworm mortality with toxicity observed in field soils. *Soil Biology and Biochemistry* 38: 1788-1796.

de Lange, H.J., de Haas, E.M., Maas, H. and Peeters, E.T.H.M. 2005. Contaminated sediments and bioassay responses of three macroinvertebrates, the midge larva *Chironomus riparius*, the water louse *Asellus aquaticus* and the mayfly nymph *Ephoron virgo*. *Chemosphere* 61: 1700-1709.

Leuven, R.S.E.W., Wijnhoven, S., Kooistra, L, De Nooij, R.J.W., Huijbregts, M.A.J. (2005). Toxicological constraints for rehabilitation of riverine habitats: a case study for metal contamination of floodplain soils along the Rhine. *Archiv für Hydrobiologie Supplement* 155: 657-676.

Lüring, M., Roessink, I. 2006. On the way to cyanobacterial blooms: Impact of the herbicide metribuzin on the competition between a green alga (*Scenedesmus*) and a cyanobacterium (*Microcystis*). *Chemosphere* 65: 618-626.

Massieux B., Boivin M-E.Y., van den Ende F.P., Langenskiöld J., Marvan P., Barranguet C., Admiraal W., Laanbroek H.J. and Zwart G. (2004). Analysis of structural and physiological profiles to assess the effects of Cu on biofilm microbial communities. *Appl. Environm. Microbiol.* 70: 4512-4521.

Moermond, C.T.A., Hendriks, A.J., Traas, T., Veltman, K., Roessink, I. and Koelmans, A.A.. Modeling decreased food chain accumulation of PAHs due to strong sorption to carbonaceous materials and metabolic transformation. **Submitted** to *Environmental Science and Technology*.

Moermond, C.T.A., Roessink, I., Jonker, M.T.O., Meijer, T. and Koelmans, A.A. 2007. Impact of PCB and PAH sequestration in sediment on bioaccumulation in aquatic food webs. *Environmental Toxicology and Chemistry*, 26 (4): 607-615.

Moermond, C.T.A., Roozen, F.C.J.M., Zwolsman, J.J.G. and Koelmans, A.A. 2004. Uptake of sediment-bound bioavailable polychlorobiphenyls by benthivorous carp (*Cyprinus carpio*). *Environmental Science and Technology*, 38(17): 4503-4509.

Moermond, C.T.A., Zwolsman, J.J.G. and Koelmans, A.A. 2005. Black carbon and ecological factors affect in situ BSAFs for hydrophobic organic compounds in flood plain lakes. *Environmental Science and Technology*, 39 (9): 3107-3109.

Notten, M.J.M., Oosthoek, A.J.P., Rozema, J. and Aerts, R. (2005). Heavy metal concentrations in a soil-plant-snail food chain along a terrestrial soil pollution gradient. *Environmental Pollution* 138: 178-190.

Notten, M.J.M., Oosthoek, A.J.P., Rozema, J. and Aerts, R. (2006). The landsnail *Cepaea nemoralis* regulates internal Cd levels when fed on Cd-enriched stinging nettle (*Urtica dioica*) leaves at low, field-relevant concentrations. *Environmental Pollution* 139: 296-305.

Notten, M.J.M., Oosthoek, A.J.P., Rozema, J. and Aerts, R. (2006). Heavy metal pollution affects consumption and reproduction of the landsnail *Cepaea Nemoralis* fed on naturally polluted *Urtica dioica* leaves. *Ecotoxicology* 15: 295-304.

Notten, M.J.M., Walraven, N., Beets, K., Vroon, P., Rozema, J., and Aerts, R. 'Investigating the origin of Pb pollution in a soil-plant-snail food chain by means of Pb isotope ratios'. **Submitted** to *Applied Geochemistry*.

Posthuma L, Wintersen A, De Zwart D, van den Ende F.P. and Vijver M.G. Predictive accuracy of Species Sensitivity Distributions: confirmation of SSD-based impact predictions by ecological effect measurements at SSEO-field locations. **In prep.**

Roessink, I., Arts, G. H. P., Belgers, J. D. M., Bransen, F., Maund, S. J. and Brock, T. C. M. 2005. Effects of lambda-cyhalothrin in two ditch microcosm systems differing in trophic status. *Environmental Toxicology and Chemistry* vol. 24: 1684-1696.

Roessink, I., Belgers, J.D.M., Crum, S.J.H., van den Brink, P.J. and Brock, T.C.M. 2006. Impact of triphenyltin acetate in microcosms simulating floodplain lakes. II. Comparison of species sensitivity distributions between laboratory and semi-field. *Ecotoxicology* 15: 411-424.

Roessink, I., Crum, S.J.H., Bransen, F., van Leeuwen, E., van Kerkum, F., Koelmans, A. A. and Brock, T.C.M. 2006. Impact of triphenyltin acetate in microcosms simulating floodplain lakes. I. Influence of sediment quality. *Ecotoxicology* 15: 267-293.

Roessink, I., Moermond, C.T.A., Gillissen, F. and Koelmans A.A. Impact of macrophytes and fish on partitioning of sediment-originating PCBs and PAHs in freshwater model ecosystems. **In prep.**

Roodbergen, M. and Klok, C. Effect of timing of breeding on reproductive output in Black-tailed godwits. **In prep**

Roodbergen, M., Klok C. and Schekkerman, H. Local adult survival of Black-tailed godwits (*Limosa l. limosa*) in the Netherlands 2002-2005 does not explain the ongoing decline of the breeding population. **Submitted.**

Veltman, K., Huijbregts, M.A.J., Hamers, T., Wijnhoven, S., Hendriks, A.J. (2007). Cadmium accumulation in herbivorous and carnivorous small mammals; meta-analysis of field data and validation of the bioaccumulation model OMEGA. *Environmental Toxicology and Chemistry* **In press**.

Veltman K., Huijbregts M.A.J., Vijver M.G., Peijnenburg W.J.G.M., Hobbelen P.H.F., Koolhaas J.E., van Gestel C.A.M., van Vliet P.C.J., Hendriks A.J. (2007). Metal accumulation in the earthworm *Lumbricus rubellus*. Model predictions compared to field data. *Environmental Pollution* 146: 428-436.

Verschoor A.M., Takken J., Massieux B., Vijverberg J. (2003). The Limnotrons: a research facility for experimental community and food web research. *Hydrobiologia* 491: 357-377.

Vijver, M.G., van Gestel, C.A.M., van Straalen, N.M., Lanno, R.P. and Peijnenburg, W.J.G.M. (2006). Biological significance of metals partitioned to subcellular fractions within earthworms (*Aporrectodea caliginosa*). *Environmental Toxicology and Chemistry* 25: 807-814.

Vijver, M.G., Lanno, R.P., van Straalen, N.M., van Gestel, C.A.M. and Peijnenburg, W.J.G.M. (2004). Internal metal sequestration and its ecotoxicological relevance – a review. *Environmental Science and Technology*, 38: 4705-4712.

Vijver M.G., Spijker, J., Vink, J.P.M. and Posthuma, L. Modelling metal reactivity by geochemical patterns and solid-solution partitioning for risk assessment purposes. **Submitted** to ET&C.

Vijver, M.G., Vink, J.P.M., Jager, T., van Straalen, N.M., Wolterbeek, H.Th., and van Gestel, C.A.M. (2006). Kinetics of Zn and Cd accumulation in the isopod *Porcellio scaber* exposed to contaminated soil and/or food. *Soil Biology and Biochemistry* 38: 1554-1563.

Vijver, M.G., Vink, J.P.M., Jager, T., Wolterbeek, H.Th., van Straalen, N.M. and van Gestel, C.A.M. (2005). Biphasic elimination and uptake kinetics of Zn and Cd in the earthworm *Lumbricus rubellus* exposed to contaminated floodplain soil. *Soil Biology and Biochemistry* 37: 1843-1851.

Vijver, M.G., Vink, J.P.M., Miermans, C.J.H. and van Gestel, C.A.M. (2003). Oral sealing using glue: a new method to distinguish between intestinal and dermal uptake of metals in earthworms. *Soil Biology and Biochemistry*, 35: 125-132.

Vijver, M.G., Vink, J.P.M., Schröder, T.J., Miermans, C.J.H., and van Gestel, C.A.M. Monitoring metal accumulation in earthworms and isopods inhabiting floodplain soils. **Accepted** in *Environmental Pollution*.

Vijver, M.G., Vink, J.P.M., Wolterbeek, H.Th. and van Gestel, C.A.M. (2005). Surface adsorption of metals onto earthworms and isopods is negligible compared to absorption in the body. *Science of the Total Environment*, 340: 271-280.

van Vliet, P.C.J., Didden, W.A.M., van der Zee, S.E.A.T.M., Peijnenburg, W.J.G.M. (2006). Accumulation of heavy metals by enchytraeids and earthworms in a floodplain. *Eur. J. Soil Biol.* 42: S117-S126.

van Vliet, P.C.J., van der Zee, S.E.A.T.M and Ma, W.C. (2005). Heavy metal concentrations in soil and earthworms in a floodplain grassland. *Environmental Pollution* 138: 505-516.

van der Welle, M.E.W., Cuppens, M.L.C., Lamers, L.P.M. and. Roelofs, J.G.M. (2006). Detoxifying toxicants: interactions between iron and sulfide toxicity in freshwater wetlands. *Environmental Toxicology and Chemistry* 25: 1592-1597.

van der Welle, M.E.W., Haaijer, S.C.M., op de Camp, H., Jetten, M., Roelofs, J.G.M., Smolders, A.J.P. and Lamers, L.P.M. Sulfate pollution of freshwater wetlands by nitrate-induced anaerobic oxidation of iron-sulfides. **Submitted** to *Biogeochemistry*.

van der Welle, M.E.W., Niggebrugge, K., Lamers, L.P.M. and Roelofs, J.G.M. (2007). Differential responses of the freshwater wetland species *Juncus effusus* L. and *Caltha palustris* L. to iron supply in sulphidic environments. *Environmental Pollution* 147: 222-230.

van der Welle, M.E.W., op den Camp, H.J.M., Roelofs, J.G.M. and Lamers, L.P.M. (2007). Biogeochemical interactions between iron and sulphate in freshwater wetlands and their implications for interspecific competition between aquatic macrophytes. *Freshwater Biology* 52: 434-447.

van der Welle, M.E.W., op den Camp, H.J.M., Roelofs, J.G.M. and Lamers, L.P.M. (2007). Predicting metal uptake by wetland plants under aerobic and anaerobic conditions. *Environmental Toxicology & Chemistry* 26: 686–694.

van der Welle, M.E.W., Polerecky, L., Peralta, G., Franke, U., Lamers, L.P.M., Middelburg, J.J. and Bouma, T.J. Measuring net radial O₂ loss and respiratory O₂ consumption in the rhizosphere by means of planar optodes. **Submitted**.

Wijnhoven, S., Leuven, R.S.E.W., van der Velde, G., Jungheim, G., Koelemij, E.I., De Vries, F.T., Eijsackers, H.J.P., Smits, A.J.M. (2007). Heavy metal concentrations in small mammals from a diffusely polluted floodplain: Importance of species- and location-specific characteristics. *Archives of Environmental Contamination and Toxicology* **In press** (available online).

Wijnhoven, S., Thonon, I., van der Velde, G., Leuven, R.S.E.W., Zorn, M.I., Eijsackers, H.J.P., Smits, A.J.M. (2006). The impact of bioturbation by small mammals on heavy metal redistribution in an embanked floodplain of the river Rhine. *Water, Air & Soil Pollution* 177: 183-210.

Wijnhoven, S., van der Velde, G., Leuven, R.S.E.W., Eijsackers, H.J.P., Smits, A.J.M. (2006). The effect of turbation on zinc relocation in a vertical floodplain soil profile. *Environmental Pollution* 140: 444-452.

Wijnhoven, S., van der Velde, G., Leuven, R.S.E.W., Eijsackers, H.J.P., Smits, A.J.M. (2006). Metal accumulation risks in regularly flooded and non-flooded parts of floodplains of

the river Rhine: Extractability and exposure through the food chain. *Chemistry and Ecology* 22: 463-477.

Wijnhoven, S., van der Velde, G., Leuven, R.S.E.W., Smits, A.J.M. (2005). Flooding ecology of voles, mice and shrews: the importance of geomorphological and vegetational heterogeneity in river floodplains. *Acta Theriologica* 50: 453-472.

Wijnhoven, S., van der Velde, G., Leuven, R.S.E.W., Smits, A.J.M. (2006). Modelling recolonisation of heterogeneous river floodplains by small mammals. *Hydrobiologia* 565: 135-152.

van der Wurff A.W.G., Kools S.A.E., Boivin M.E.Y., van den Brink P.J., van Megen H.H.M., Riksen J., Doroszuk A., Kammenga J.E. (2006). Type of disturbance and ecological history determine structural stability. *Ecological Applications* 17: 190-202.

Zorn, M.I., van Gestel, C.A.M. and Eijsackers, H.J.P. (2005). Species-specific earthworm population responses in relation to flooding dynamics in a Dutch floodplain soil. *Pedobiologia* 49: 189-198.

Zorn, M.I., van Gestel, C.A.M. and Eijsackers, H.J.P. (2005). The effect of *Lumbricus rubellus* and *Lumbricus terrestris* on zinc distribution and availability in artificial soil columns. *Biology and Fertility of Soils* 41: 212-215.

Zorn, M.I., van Gestel, C.A.M. and Eijsackers, H.J.P. (2005). The effect of two endogeic earthworm species on zinc distribution and availability in artificial soil columns. *Soil Biology and Biochemistry* 37: 917-925.

Zorn, M.I., van Gestel, C.A.M., Morrien, E., Wagenaar, M. and Eijsackers, H.J.P. Flooding responses of *Allolobophora chlorotica*, *Aporrectodea caliginosa* and *Lumbricus rubellus* in a laboratory-controlled environment. *Soil Biol. Biochem.* **Submitted** (provisionally accepted).

Publicaties (alle zijn “submitted”) voor special issue van Science of the Total Environment (STOTEN)

Breure, A.M., van het Groenewoud-Groot, M. and Eijsackers, H.J.P. System Oriented Ecotoxicological Research: Which way to go.

Boekhold, A.E. Ecological risk assessment of contaminated soil in the Netherlands.

Eijsackers, H.J.P., van het Groenewoud-Groot, M. and Breure, A.M. Upgrading system-oriented ecotoxicological research.

van der Geest, H.G. León Paumen, M. Dynamics of metal availability and toxicity in historically polluted floodplain sediments.

van Gestel, C.A.M. Physico-chemical and biological parameters determine metal bioavailability at different spatial and temporal scales.

de Haas, E.M. and Kraak, M.H.S. Species-specific responses of benthic invertebrates explain their distribution along environmental gradients.

Klok, C. and Kraak, M.H.S. Living in highly dynamic polluted river floodplains, do contaminants contribute to population and community effects?

Kools, S.A.E, Boivin, M-E.Y., Kuenen, F.J.A., van der Wurff, A.W.G., van Gestel, C.A.M. and van Straalen, N.M. Responses of Terrestrial Model Ecosystems from heavy metal polluted grasslands.

Laskowski, R., Skalski, T. and Stefanowicz, A. Effects of mixed diffuse pollution on biological diversity – methods, approaches and examples.

Liess, M., Schäfer, R.B. and Schriever, C. The footprint of pesticide stress in communities - species traits reveal community effects of toxicants.

Posthuma L., Eijsackers, H.J.P. and Vijver, M.G. What is the meaning of environmental quality criteria?

Preziosi, D.V. and Pastorok, R.A. Ecological Food Web Analysis for Chemical Risk Assessment.

Roessink, I., Koelmans, A.A. and Brock, T.C.M. Interactions between nutrients and organic micro-pollutants in shallow freshwater model ecosystems.

Roodbergen, M., Klok, C. and van der Hout, A. Heavy metals in chains: Transfer of heavy metals from earthworms to Black-tailed godwits at a polluted site in the Netherlands.

Rozema, J., Notten, M.J.M., Aerts, R., van Gestel, C.A.M., Hobbelen, P. and Hamers, T. ‘Do high levels of diffuse and chronic metal pollution in sediments of Rhine and Meuse floodplains affect structure and functioning of terrestrial ecosystems?’.

Rutgers, M. Field effects of pollutants at the community level - experimental challenges and significance of community shifts for ecosystem functioning.

van Straalen, N.M. and van Gestel, C.A.M. A stress ecology framework for comprehensive risk assessment of diffuse pollution.

Swartjes, F.A., de Wit, N. and Carlon, C. Towards the implementation of (ecological) risk-based soil quality assessment within the soil framework directive.

Veltman, K., Huijbregts, M.A.J. and Hendriks, A.J. Cadmium bioaccumulation factors for terrestrial species: modeling and field data.

Van Vliet, P.C. J. and de Goede, R.G.M. Nematode-based risk assessment of mixture toxicity in a moderately polluted river floodplain.

van der Welle, M.E.W., Roelofs, J.G.M. and Lamers, L.P.M. The effects of sulphur-iron biogeochemistry on freshwater wetlands.

Wijnhoven, S., Leuven, R.S.E.W., van der Velde, G., Eijsackers, H.J.P. Ecotoxicological risks for small mammals in a diffusely moderately polluted floodplain.

Zorn, M.I., van Gestel, C.A.M. and Eijsackers, H.J.P. Contribution of different earthworm species to top soil mixing in a sandy and a clayey soil after 80 days incubation.

Publicaties vanuit programmacommissie, locatiecoördinatoren en medewerkers integratieproject

Eijsackers H.J.P., Posthuma L., Vijver M. *Gebiedsbeleid helpt diffuse verontreiniging oplossen*. Milieu 2006-7, p. 38-39.

Gestel, C.A.M. van, *Grauwsluiers en biobeschikbaarheid*. BODEM zestiende jaargang, nr. 3, juni 2006, p. 115-116.

Klok, C., *Dynamiek versluiert*. BODEM zestiende jaargang, nr. 3, juni 2006, p. 120-121.

Posthuma, L., Eijsackers, H.J.P., Vijver, M. *Toxische stoffen, normen en ecologische risico's – hoe zit dat?* Milieu dossier 2006-7, p. 19-23.

Posthuma, L., Vijver, M., *De grauwsluier ontsluiert*. BODEM zestiende jaargang, nr. 3, juni 2006, p. 122-125.

Rutgers, M., *Puzzelen met veldeffecten van metalen*. BODEM zestiende jaargang, nr. 3, juni 2006, p. 117-119.

Rutgers, M., Gestel, C.A.M. van, Klok, C., Posthuma, L., Vijver, M. *Het onderzoek en de locaties van het SSEO*. BODEM zestiende jaargang, nr. 3, juni 2006, p. 111-114.

Natuur leert leven met vervuiling. Natuurwetenschap en techniek 74^e jaargang, nummer 5 mei 2006, p. 38-41.

Laat maar zitten; bodemverontreiniging alomtegenwoordig, maar de gevolgen vallen mee. Bionieuws Jaargang 16, 25 augustus 2006, p. 10.

Rapporten integratieproject

Posthuma L., Klok C., Vijver M.G., Van den Brink P.J., Van den Ende F., Traas T.P., Hendriks A.J. 2005. *Ecotoxicological models for Dutch environmental policy. Part I.* Bilthoven, The Netherlands: National Institute for Public Health and the Environment. RIVM-report number 860706001.

Posthuma L., Vijver M.G., Klok C., Van den Brink P.J., Van den Ende F., Traas T.P., Veltman K., Hendriks A.J. (2006) *Ecotoxicological models for Dutch environmental policy. Part 2.* (provisional title) Model validation in the framework of the Dutch Stimulation Programme System-oriented Ecotoxicological Research (NWO-SSEO). Bilthoven, The Netherlands: National Institute for Public Health and the Environment. RIVM-report number 860706002 (in prep.)

Rapporten ter afsluiting van het programma

Afsluitend document Stimuleringsprogramma Stysteemgericht Ecotoxicologisch Onderzoek: Conclusies en aanbevelingen ten behoeve van beleid voor en beheer van diffuus verontreinigde bodem- en waterecosystemen

Diffuus verontreinigde gronden beheren? Beleids- en beheersopties voor diffuus verontreinigde terreinen: een systeemecotoxicologische analyse